

Product and Company Identification

Product Name:	MR Series				
Manufacturer's Name:	Prospec Specialties Inc.				
	Suite 400, 3601, Highway 7,				
	Markham ON, L3R 0M3, Canada				
Emergency #:	(888) 749-8456				
Date Prepared:	Nov., 2014				

Table 1: System Details

Application	Code	JO	SH	SW	BO	± Movement (%)			Load
Application		Millimeter			Horizontal	Vertical	Shear	(Ton)	
Straight (S)	MRS 01	25	38	53	75	15	15	Excellent	3.5
	MRS 02	51	38	81	75	15	15	Excellent	3.5
	MRS 03	76	38	106	75	20	20	Excellent	3.5
	MRS 04	102	38	132	75	20	20	Excellent	3.5
Corner (C)	MRC 01	25	38	53	90	15	15	Excellent	3.5
	MRC 02	51	38	81	90	15	15	Excellent	3.5
	MRC 03	76	38	106	90	20	20	Excellent	3.5
	MRC 04	102	38	132	90	20	20	Excellent	3.5

JO = Joint Opening

SH = System Height **SW** = Sight Width

BO (min.) = Blockout


Key to System Features (Straight Application)

- 1. Continuous Aluminum Recessed Mount Frame Grade 6063-T6, Anodized Finish
- 2. Continuous Aluminum
 - Hinged Glide Plate (Male)

Grade 6063-T6,

Anodized Finish


- 3. Continuous Aluminum Hinged Glide Plate (Female) Grade 6063-T6, Anodized Finish
- 4. Extruded Elastomeric Membrane
- 5. Concrete Sleeve Anchor (by others)





Key to System Features (Corner Application)

- Continuous Aluminum Recessed Mount Frame Grade 6063-T6, Anodized Finish
- Continuous Aluminum Hinged Glide Plate (Male) Grade 6063-T6, Anodized Finish
- Continuous Aluminum Hinged Glide Plate (Female) Grade 6063-T6, Anodized Finish
- 4. Extruded Elastomeric Membrane
- 5. Concrete Sleeve Anchor (by others)
- Continuous Reversible Aluminum Flush Wall Frame, grade 6063-T6 Anodized Finish



2